

The Cemboard[®] Advantage Unmatched Quality, Value & Longer-lasting Performance

th th ab th d

Cemboard[®] siding is tough because it's made from one of the toughest siding materials available: fiber cement. Our product is incredibly durable and stands up to the nastiest weather you can imagine. Combine this toughness with the attractive look of real wood and you can see what makes Cemboard siding better than other siding materials. For real siding value, choose the longer-lasting beauty of Cemboard fiber cement siding.

FOR FACTORY-BUILT HOMES



Choose—

The attractive look of wood.

Cemboard® siding's deep cedar-grain texture provides a genuine wood appearance. Combined with the superior durability of fiber cement, Cemboard siding adds longer-lasting beauty, quality and value to your homes other siding materials simply can't match.

The Cemboard siding solution.

Why put up with the hassle of dealing with multiple suppliers and manufacturers? Cemboard siding, trim, and soffit give you everything you need from one proven, reliable manufacturer. You'll get consistent product quality with every delivery, covered by some of the most comprehensive warranties in the business.

Less maintenance.

Cemboard fiber cement siding holds paint longer than wood siding, and resists damage caused by mold and moisture, such as swelling, warping, and cracking. Cemboard siding provides a longer-lasting, lower maintenance exterior.







Cemplank® lap siding is an attractive and durable alternative to vinyl and wood-based siding. The cedar grain texture of Cemplank lap siding provides a wood appearance with proven fiber cement performance.

Traditional Cedar

Thickness: 5/16 in. Length: 12 ft. 5.25 in. , 6.25 in. Widths: 7.5 in. , 8.25 in. 9.5 in. , 12 in.






5/16 in. Thickness: Length: Width:

12 ft. 8.25 in.

Country Roughsawn

5/16 in. Thickness: Length: 12 ft. Width: 8 in.







Cempanel[®] Vertical Siding

Cempanel®vertical siding is the ideal choice for climates with high humidity. It has the attractive look of cedar, but its fiber cement formulation offers you longer-lasting performance and value compared to high-maintenance wood-based siding.

8 in. On Center Groove (EOCG) Thickness: 5/16 in. 4 ft. x 8 ft., 4 ft. x 9 ft., Sizes: 4 ft. x 10 ft., 4 ft. x 12 ft.



Cedar

Thickness: 5/16 in. Sizes: 4 ft. x 8 ft., 4 ft. x 9 ft., 4 ft. x 10 ft., 4 ft. x 12 ft.

Smooth

Thickness: 5/16 in. Sizes: 4 ft. x 8 ft., 4 ft. x 9 ft., 4 ft. x 10 ft., 4 ft. x 12 ft.



Stucco

Sizes:

Thickness: 5/16 in. 4 ft. x 8 ft., 4 ft. x 9 ft., 4 ft. x 10 ft., 4 ft. x 12 ft.

Cut To Size Panels* 8 in. On Center Groove (EOCG) Thickness: 5/16 in. Sizes:

48 in. x 48 in., 48 in. x 54 in., 48 in. x 92 in., 48 in. x 94 in. 48 in. x 98 in., 48 in. x 102 in., 48 in. x 106 in., 48 in. x 112 in. 48 in. x 114 in.



Cemtrim[™] fiber cement trim boards provide a beautiful yet durable accent to any home. It's the perfect finishing touch!

Cedar

Thickness: 5/16 in. Length: 8 ft. Widths: 2 in., 3 in., 4 in., 6.25 in.

Thickness: 7/16 in. Length: 12 ft. Widths: 3.5 in., 5.5 in., 7.5 in.

Choose the siding that best protects your home.





Cemsoffit[™] panels are pre-cut and eliminate the need for separate box or strip vents.

Non-Vented Cedar

Thickness: 1/4 in. Sizes: 12 in. x 16 in. x 48 in x

1/4 in. 12 in. x 12 ft., 16 in. x 12 ft., 48 in. x 8 ft.

Vented Cedar

 Thickness:
 1/4 in.

 Sizes:
 6.25 in. x 12 ft.,

 8.25 in. x 12 ft.,
 11.5 in. x 12 ft.,

 12 in. x 12 ft.,
 16 in. x 12 ft.,





Resistant to Termite Damage

Resistant to the damaging effects of termites and other wood-eating pests



Durability

Provides strength and impact resistance without sacrificing the natural look of wood



Non-Combustibility

Will not ignite when exposed to direct flame or contribute fuel to a fire





Moisture Resistant

Resists damage caused by moisture





Tough Siding. Easy Choice. Cemboard[®] fiber cement siding

A Tradition of Quality & Value The look and Texture of wood - but better!

Cemplank[®] Lap Siding Cempanel[®] Vertical Siding Cemtrim[™] Boards

Cemsoffit[™] Panels

Cemboard siding is backed by a 25-year

Cemboard® Siding and Trim Warranty

limited product warranty including non-prorated coverage for the first 10 years.

Cemtrim[™] boards are backed by a 10-year limited warranty.

For more information, visit us at www.cemboardsiding.com